



**NATIONAL TRANSMISSION CORPORATION**  
 CORPORATE SERVICES GROUP  
 TransCo Annex Bldg., Diliman, Quezon City  
 Tel. Nos. 902-1521  
 Fax No. 914-6209  
**SUPPLIER'S TECHNICAL/PRICE QUOTATION FORM**  
**(SHOPPING)**

**REFERENCE NO.: SH161004-EA36(ECA)**

---



---



---

FOR INQUIRIES, CONTACT PURCHASING OFFICER: **ARGAÑOZA, EILEEN**

Sir/Madam:

Please provide us with your best quotation and submit the same to the above assigned purchasing officer on or before 3:00 PM on quote closing date at ADMINISTRATION OFFICE, Ground Floor, TRANSCO Main Building, Power Center, Quezon Avenue corner BIR Road, Diliman, Quezon City.

**QUOTE CLOSING DATE/TIME: OCTOBER 12, 2016/3:00 P.M.**

Deadline for submission may be extended if there are insufficient offers received. In case of a failed canvass, a re-canvass may be conducted without prior notice to any previous offeror (s).

Offers may be submitted in a sealed envelope, through fax or **through e-mail (ecarganoza@transco.ph)** at the option of the offeror, properly marked with the reference number. This bid document comprises SIX (6) pages including this sheet.

Please signify your acceptance of the TERMS AND CONDITION as stated herein, by signing on the space provided below and submit the signed copy together with your separate letter of quotation (as applicable).

Very truly yours,

**ROSSANA F. PAGUIO**  
 Manager, General Services Division

**NOTE: THIS FORM IS COMPUTER GENERATED. SIGNATURE IS NOT REQUIRED**

NO.	DESCRIPTION	QUANTITY	ABC (VAT INC)	UNIT PRICE	TOTAL PRICE
				(VAT EXCLUSIVE, INDICATE APPLICABLE 12% VAT)	
<b>1</b>	<b>CORSEC-16-94815/1</b> <b>MIXER, AUDIO</b> 12-INPUT BUS MIXER WITH USB SIZE (LXWXH CM) : 32X27X9.6 WEIGHT: 3.8 KG USB/AUDIO INTERFACE INCLUDED TO CONNECT DIRECTLY TO COMPUTER 2 AUX SENDS PER CHANNEL: 1 PRE FADER FOR MONITORING APPLICATIONS, 1 POST FADER FOR EXTERNAL FX DEVICES PEAK LEDS AND MUTE/ALT 3-4, SOLO AND PFL FUNCTION ON ALL CHANNELS 2 SUBGROUPS WITH SEPARATE OUTPUTS 2 MULTI-FUNCTIONAL STEREO AUX RETURNS WITH FLEXIBLE ROUTING BALANCED MAIN MIX OUTPUTS CONNECTORS PLUS SEPARATE CONTROL ROOM, HEADPHONES AND STEREO TAPE OUTPUTS CONTROL ROOM/PHONES OUTPUTS WITH MULTI-INPUT SOURCE MATRIX LONG-WEARING 60MM LOGARITHMIC TAPER FACERS AND SEALED ROTARY CONTROLS INTERNAL AUTORANGE POWER SUPPLY FOR MAXIMUM FLEXIBILITY (100-240V), NOISE- FREE AUDIO <b>BRAND/MODEL: _____</b> <b>WARRANTY: _____</b>	<b>1 UNIT</b>	<b>₱20,000.00</b>		

<p><b>2</b></p>	<p><b>GSD-16-94858/1 MIXER, AUDIO</b>          PREMIUM 16 INPUT 2/2 BUS MIXER, 24 BIT MULTI-FX PROCESSOR AND USB/AUDIO INTERFACE          FEATURES:          -PREMIUM ULTRA-LOW NOISE, HIGH HEADROOM ANALOG MIXER          -4 STATE OF THE ART, PHANTOM POWERED MIC PREAMPS COMPARABLE TO STAND-ALONE BOUTIQUE PREAMPS          -4 STUDIO GRADE COMPRESSOR WITH SUPER EASY ONE KNOB FUNCTIONALITY AND CONTROL LED FOR PROFESSIONAL VOCAL AND INSTRUMENTAL SOUND          -NEO CLASSIC BRITISH 3 BAND EQS FOR WARM AND MUSICAL SOUND          -NEW STUDIO GRADE FX PROCESSOR WITH 16 EDITABLE PRESETS INCLUDING REVERB, CHORUS, FLANGER, DELAY, PITCH SHIFTER, MULTI-EFFECTS,TAP FUNCTION AND STORABLE USER PARAMETER SETTINGS          -BUILT-IN STEREO USB/AUDIO INTERFACE TO CONNECT DIRECTLY TO COMPUTER. FREE AUDIO RECORDING, EDITING AND PODCASTING SOFTWARE PLUS 150 INSTRUMENT/EFFECT PLUG-INS AND ULTRA LOW LATENCY          -7 BAND STEREO GRAPHIC EQ ALLOWS PRECISE FREQUENCY CORRECTION OF MONITOR OR MAIN MIXES          -REVOLUTIONARY FBQ FEEDBACK DETECTION SYSTEM INSTANTLY REVEALS CRITICAL FREQUENCIES          -BREATHTAKING XPQ 3D STEREO SURROUND EFFECT FOR MORE VITALITY AND ENHANCED STEREO IMAGE          -VOICE CANCELLER FUNCTION FOR EASY TO USE SING ALONG APPLICATIONS          -4 FULLY EQUIPPED STEREO INPUT CHANNELS FEATURING ADDITIONAL MIC INPUTS ON CHANNELS 5/6 AND 7/8, 3 BAND EQ AND INPUT TRIM CONTROL          -CHANNEL INSERTS ON EACH MONO CHANNEL FOR FLEXIBLE CONNECTION OF OUTBOARD EQUIPMENT          -2 AUX SENDS PER CHANNEL; 1 PRE FADER FOR MONITORING, 1 POST FADER (FOR INTERNAL FX AND/OR EXTERNAL SEND); 2 MULTI-FUNCTIONAL STEREO AUX RETURNS          -BALANCED MAIN MIX OUTPUTS WITH GOLD PLATED XLR CONNECTORS, HEADPHONE/CONTROL ROOM OUTPUT AND STEREO REC OUTPUTS          -LONG WEARING 60MM LOGARITHMIC TAPER FADERS AND SEALED ROTARY CONTROLS          -SWITCHING POWER SUPPLY FOR MAXIMUM FLEXIBILITY (100-240V), NOISE FREE AUDIO, SUPERIOR TRANSIENT RESPONSE PLUS LOW POWER CONSUMPTION FOR ENERGY SAVING          -RACK MOUNT BRACKETS INCLUDED FOR ULTIMATE FLEXIBILITY</p>	<p><b>1 UNIT</b></p>	<p><b>₱30,000.00</b></p>		
-----------------	---	----------------------	--------------------------	--	--

	<p>WARRANTY: ONE (1) YEAR  <b>BRAND/MODEL:</b> _____  <b>WARRANTY:</b> _____</p>				
3	<p><b>GSD-16-94858/2</b>  <b>MICROPHONE, CHIME</b>  FEATURES:  -DESKTOP MICROPHONE WITH 4 DIFFERENT CHIME TONES AND 2 INDEPENDENT VOLUME CONTROL KNOBS  SPECIFICATIONS:  -DIRECTIONAL CHARACTERISTICS: UNIDIRECTIONAL  -MICROPHONE TYPE: CONDENSER CARTRIDGE  -FREQUENCY RESPONSE: 100HZ TO 1000HZ  -MICROPHONE SENSITIVITY: -46DB AT VOLUME MAX LOAD 50K OHMS  -AUX PRE-AMP GAIN: +24DB  -STATICS POWER CONSUMPTION: 0.80MW  -RATED SOURCE: SUM-2DRY CELL X TWO PIECES  -DIMENSION (L X W X H): 178 X 136 X 360MM  -CORD: 1.5M (CURLED CORD)  -SLEEK AND STURDY GOOSENECK DESIGN  -MODERN AND STREAMLINE TABLE STAND DESIGN  -PERFECT FOR HIGH QUALITY SOUND REINFORCEMENT AND PUBLIC ADDRESSING APPLICATIONS  WARRANTY: ONE (1) YEAR  <b>BRAND/MODEL:</b> _____  <b>WARRANTY:</b> _____</p>	1 UNIT	₱5,516.00		
4	<p><b>GSD-16-94858/3</b>  <b>STAND, MICROPHONE, ANTI-SHOCK</b>  FEATURES:  -PRESS ON/PRESS OFF SWITCH  SPECIFICATIONS:  -PHANTOM POWER REQUIREMENTS: 24-48DC, 3MA TYPICAL  -OUTPUT IMPEDENCE: 360 OHMS  -INSERTION LOSS: 1DB (50OHM SOURCE, 100K OHM LOAD)  -MUTE ATTENUATION: 55DB AT 1000HZ 35DB AT 100HZ 30DB AT 50HZ (150OHMS SOURCE, 100KOHMS LOAD)  -MIC ATTACHMENT: XLR-F-TYPE, XLR-M - TYPE, SWITCH WITH LED  -APPROX. DIMENSIONS: 112MM X 142MM X 40MM (WIDTH X DEPTH X HEIGHT)  WARRANTY: ONE (1) YEAR  <b>BRAND/MODEL:</b> _____  <b>WARRANTY:</b> _____</p>	1 UNIT	₱5,516.00		
5	<p><b>GSD-16-94858/4</b>  <b>MICROPHONE SYSTEM, WIRELESS, HANDHELD</b>  TRANSMITTER/MICROPHONE - 1 UNIT  - 2 AA BATTERIES - OVER 10 HOURS CONTINUOUS USE  - SELECTABLE HIGH/LOW OUTPUT POWER</p>	1 SET	₱22,000.00		

	<p>A. HIGH POWER MODE - RF OUTPUT: 10MW MAX. WORKING RANGE (LINE OF SIGHT): 75M (250FT)</p> <p>B. LOW POWER MODE - RF OUTPUT: 1MW MAX. WORKING RANGE (LINE OF SIGHT): 18M (60FT)</p> <p>RECEIVER - 1 UNIT</p> <ul style="list-style-type: none"> <li>-8 SELECTABLE FREQUENCIES PER BAND</li> <li>-UP TO 4 COMPATIBLE CHANNELS PER BAND</li> <li>-OFFER TWO OPTIONS: 1.) SINGLE CHANNEL DIVERSITY RECEIVER; 2.) DUAL CHANNEL DIVERSITY RECEIVER</li> <li>-ANTENNA DIVERSITY ENSURES CONTINUOUS RECEPTION</li> <li>-BALANCED AND UNBALANCED AUDIO OUTPUT</li> <li>-ADJUSTABLE SQUELCH AND MIC/LINE SWITCH</li> <li>-FIXED ANTENNA AT FRONT</li> <li>-EXTERNAL POWER SUPPLY</li> </ul> <p>WARRANTY: ONE (1) YEAR</p> <p><b>BRAND/MODEL:</b> _____</p> <p><b>WARRANTY:</b> _____</p>				
6	<p><b>GSD-16-94858/5</b> <b>MICROPHONE SYSTEM, LAVALIER LAPEL CLIP-ON</b></p> <p>WIRELESS</p> <p>BODYPACK TRANSMITTER - 1 UNIT</p> <ul style="list-style-type: none"> <li>-RUGGED, COMPACT BODYPACK WITH BELT CLIP</li> <li>-20HZ - 20KHZ FREQUENCY RANGE</li> <li>CAPTURES EVERY NUANCES OF TONE</li> <li>-POWER, MUTE AND BATTERY STATUS LED</li> <li>-200FT (60M) OPERATING RANGE</li> <li>-UP TO 10 HOURS OF CONTINUOUS USE FROM 2 AA BATTERIES</li> <li>-RECESSED DIAL ON SIDE PROVIDES 26DB OF CONTINUOUSLY ADJUSTABLE GAIN</li> <li>-LOCKABLE INTERFACE PREVENTS ACCIDENTAL CHANGE</li> </ul> <p>WIRELESS RECEIVER - 1 UNIT</p> <ul style="list-style-type: none"> <li>-24-BIT/48KHZ DIGITAL TECHNOLOGY FOR INCREDIBLY ACCURATE SOUND</li> <li>-AUTOMATIC FREQUENCY SELECTION LOCATES A CLEAR CHANNEL INSTANTLY</li> <li>-ONE-TOUCH SYNC AUTOMATICALLY SYNCs THE TRANSMITTER AND RECEIVER</li> <li>-TRUE DIGITAL DIVERSITY FOR ROCK-SOLID WIRELESS SIGNAL RELIABILITY</li> <li>-UP TO 5 COMPATIBLE CHANNELS PER FREQUENCY BAND</li> <li>-1/4" AND XLR AUDIO OUTPUTS</li> <li>-INCLUDED PADDED CARRYING CASE FOR PORTABILITY AND PROTECTION</li> </ul> <p>LAVALIER MICROPHONE - 1 UNIT</p> <ul style="list-style-type: none"> <li>-SMALL, INCONSPICUOUS MOUNTING HARDWARE</li> <li>-SUBMINIATURE LAVALIER DESIGN</li> </ul>	1 SET	₱30,000.00		

	<p>-FULL, CLEAR SOUND COMPARABLE TO LARGER MICROPHONES  -SMOOTH EXTENDED FREQUENCY RESPONSE WITH PRESENCE RISE SPECIALLY TAILORED FOR CHECT-WORN MICROPHONE OPERATION  -CONTROLLED LOW-FREQUENCY ROLL-OFF REDUCES LOW-FREQUENCY CLOTHING AND ROOM NOISE  -LOW DISTORTION, WIDE DYNAMIC RANGE  -UNIFORM OMNIDIRECTIONAL POLAR PATTERN  -PREAMPLIFIER ASSEMBLY CAN BE POCKETED, STRAPPED TO THE BODY, OR CLIPPED TO BELT OR WAISTBAND  -WIDE RANGE PHANTOM POWERING ACCEPT ALL COMMONLY USED VOLTAGES  -BLACK, WITH AT LEAST 4FT (1.2M CABLE)WITH 4PIN MINI CONNECTOR WHICH CONNECTED DIRECTLY TO WIRELESS BODY PACK TRANSMITTER</p> <p>NOTE: ALL ITEMS SHOULD BE SAME COMPONENT TO MATCH SAME FREQUENCY BANDS TO ENSURE PROPER SYSTEM OPERATION.  WARRANTY:ONE (1) YEAR  <b>BRAND/MODEL:</b> _____  <b>WARRANTY:</b> _____</p>				
7	<p><b>GSD-16-94858/6</b>  <b>WINDSCREEN, MICROPHONE</b>  COMPATIBLE WITH GOOSENECK MICROPHONE  MODEL: TOA TS 772 DELEGATE MICROPHONE  FEATURES:  -REDUCES POP AND WIND NOISE  COLOR: BLACK  <b>BRAND/MODEL:</b> _____  <b>WARRANTY:</b> _____</p>	13 PC	₱5,512.00		

TOTAL AMOUNT (VAT EXCLUSIVE) \_\_\_\_\_  
ADD: APPLICABLE VAT ( \_\_\_% ) \_\_\_\_\_  
TOTAL NET AMOUNT (VAT INCLUSIVE) \_\_\_\_\_

**NOTE** : ALTERNATE OFFERS ARE NOT ALLOWED  
Bids received in excess of the Approved Budget for the Contract (ABC) shall be automatically rejected.

**SPECIAL INSTRUCTION:** Interested suppliers must view/download the attached document in the Associated Component to be included in the Document Request List (DRL).

**FIXED TERMS (PLEASE INCLUDE IN YOUR OFFER):**

- BID PRICE VALIDITY: AT LEAST 60 DAYS FROM QUOTE CLOSING DATE  
**(VAT EXCLUSIVE, INDICATE APPLICABLE VAT)**
- DELIVERY PERIOD: ( ) 7 CALENDAR DAYS ( ) \_\_\_\_\_
- DELIVERY POINT: TRANSCO-HO WAREHOUSE, DILIMAN, Q.C.  
C/O M. T. JAVILLO
- PAYMENT TERMS: WITHIN 30 CALENDAR DAYS UPON DELIVERY AND  
SUBMISSION OF COMPLETE REQUIRED DOCUMENTS
- WARRANTY: \_\_\_\_\_

**OTHER REQUIREMENTS/DOCUMENTS TO BE INCLUDED IN THE PROPOSAL:**

1. Product brochures/catalog/technical reference.
2. Please indicate **BRAND/MODEL & WARRANTY** for each offer.
3. Certificate of PhilGEPs Registration.
4. Receipts must be BIR compliant (please see below).

Please issue an **Invoice/Receipt** to:

Name: National Transmission Corporation (TransCo)

Address: Power Center Agham Road Corner  
Quezon Ave., Diliman Quezon City

TIN: 223-242-186-000

If transaction is subject to VAT, kindly show as separate item the VAT amount (12%) in the:

**OFFICIAL RECEIPT** - for sale of **SERVICES**

**SALES INVOICE** - for sale of **GOODS or PROPERTIES**

**TRANSCO TERMS ACCEPTED:** \_\_\_\_\_

(SIGNATURE AND DATE)

\_\_\_\_\_  
(NAME AND DESIGNATION)

\_\_\_\_\_  
(NAME OF COMPANY)