



NATIONAL TRANSMISSION CORPORATION
 RESOURCE MANAGEMENT SERVICES GROUP
 TransCo Annex Bldg., Diliman, Quezon City
 Tel. No. 902-1521/Fax No. 914-6209

SUPPLIER'S TECHNICAL/PRICE QUOTATION FORM
(NEGOTIATED PROCUREMENT: SMALL VALUE)

REFERENCE NO.: NP190925-EA71

FOR INQUIRIES, CONTACT PURCHASING OFFICER: **ARGAÑOZA, EILEEN**

Sir/Madam:

Please provide us with your best quotation and submit the same to the above assigned purchasing officer on or before 3:00 PM on quote closing date at PROCUREMENT MANAGEMENT DIVISION OFFICE, Ground Floor, TRANSCO Main Building, Power Center, Quezon Avenue corner BIR Road, Diliman, Quezon City.

QUOTE CLOSING DATE/TIME: OCTOBER 3, 2019/3:00PM

Deadline for submission may be extended if there are insufficient offers received. In case of a failed canvass, a re-canvass may be conducted without prior notice to any previous offeror (s).

Offers may be submitted in a sealed envelope, through fax or **through e-mail (ecarganoza@transco.ph)** at the option of the offeror, properly marked with the reference number. This bid document comprises SIX (6) pages including this sheet.

Please signify your acceptance of the TERMS AND CONDITION as stated herein, by signing on the space provided below and submit the signed copy together with your separate letter of quotation (as applicable).

Very truly yours,

ROGELIO M. MABULAY, JR.

Manager, Procurement Management Division

NOTE: THIS FORM IS COMPUTER GENERATED. SIGNATURE IS NOT REQUIRED

NO.	DESCRIPTION	QUANTITY	ABC (VAT INC)	UNIT PRICE	TOTAL PRICE
				(VAT EXCLUSIVE, INDICATE APPLICABLE 12% VAT)	
1.	<p>DIGITAL MIRRORLESS CAMERA KIT KIT INCLUDES THE FOLLOWING</p> <ol style="list-style-type: none"> Lens: 1 X 15-45mm IS STM 1 X 55-200mm IS STM External flash, Guide no. 43 or higher, recycling time at least 3 sec. same brand with the camera, including rechargeable batteries and "fast" battery charger Spare camera battery (compatible with the camera) Storage: at least 16gb SDHC class 10 and camera bag <p>TECHNICAL SPECIFICATION: AF Modes: One-shot AF, Servo AF AF Point Selection: Automatic selection, Manual selection AF System Points: 143 / 99 AF Points** Up to 143 AF points may be displayed when a compatible lens is attached. Built-in Flash: YES Closest Focusing Distance (cm): 25 / 100 Continuous Shooting Speed (shots per sec) (Up to): 10 (One-Shot AF) / 7.4 (Servo AF)</p>	5 UNITS*	₱550,000.00		

Digital Zoom:

-

Dimensions (Excl Protrusions) (mm) (Approx.):

116.3 x 88.1 x 58.7

Drive System:

Stepping Motor-driven lead screw+rack system / Stepping Motor-driven lead screw+rack system

Effective ISO:

100 – 25600 (H:51200)

Effective Pixels (megapixels):

24.1 (at least)

Exposure Compensation:

Manual: ±3 stops in 1/3-stop increments, AEB: ±2 stops in 1/3- stop increments

Eye detection AF:

Available: One-shot AF

Flash Modes:

E-TTL II Autoflash, FE Lock, Manual pop-up, Retractable, Built-in

Focal Length (35mm Equivalent):

24 – 72mm(3x) / 88 – 320mm(3.6x)

Guide Number ISO 100 metres:

5

Image Resolution:

6000 x 4000 (L) 3984 x 2656 (M) 2976 x 1984 (S1) 2400 x 1600 (S2) 6000 x 4000 (RAW)

Image Stabilizer:

Lens-shift type / Lens-shift type

LCD Monitor (Size) (Inch):

3.0

LCD Monitor Resolutions (dots):

1040000

Manual Focus:

YES

Memory Card Type:

SD, SDHC*, SDXC*, *UHS-I cards compatible

Metering Mode:

384-zone TTL Evaluative, Partial, Spot, Centre-weighted average

Movie Format:

MP4

Optical Zoom:

3x / 3.6x

Optional Power:

AC Power (Compact Power Adapter CA-PS700 and DC Coupler DR-E12)

Peripheral Connections:

Micro USB, HDMI (Type D), Mic-in

Processor Type:

DIGIC 8

Sensor Size:

APS-C

Shooting Modes:

Program AE, Shutter-priority AE, Aperture-priority AE, Manual Exposure

Shutter Speed Range (Sec.):

30 – 1/4000, Bulb

Silent Shutter:

Available: Single Shot

Standard Power Supply:

Battery Pack LP-E12

Still Image Format:

JPEG, RAW, RAW + JPEG, C-RAW, C-RAW+JPEG

Viewfinder Coverage (Approx.):

	<p>100</p> <p>Viewfinder Type: OLED</p> <p>Weight (g) (Including the battery and memory card) (Approx.): *For camera kits, weight includes kit lens(es). 15-45mm: 517 / 520 g, 55-200mm: 647 / 650 g</p> <p>White Balance: Auto (Ambience priority), Auto (White priority), Preset (Daylight, Shade, Cloudy, Tungsten light, White fluorescent light, Flash), Custom, Color temperature setting (approx. 2500-10000K), White balance correction and white balance bracketing features provided * Flash color temperature information transmission possible</p> <p>X-sync: 1/200</p> <p>BRAND/MODEL: _____ WARRANTY: _____</p> <p>*DISTRIBUTION GTMD05-19-96263/1 (2 UNITS) AMPAD-19-96389/1 (3 UNITS)</p>			
<p>2.</p>	<p>GTMD07-19-96356/1 TELEVISION, LED, 65-INCH</p> <ol style="list-style-type: none"> 1. POWER SUPPLY: 110V-240C 2. AC FREQUENCY: 50/60 HZ 3. POWER CONSUMPTION IN OPERATION (MAX): 250WATTS 4. SET SIZE WITH STAND (WXHxD): 1461X907X355MM 5. SET SIZE WITHOUT STAND (WXHxD): 1461X844X80MM 6. WITH REMOTE CONTROLLER 7. WITH STAND AND WALL MOUNTED BRACKET 8. WITH TV RACK <p>FEATURES:</p> <ol style="list-style-type: none"> 1. DISPLAY RESOLUTION: 3840X2160 PIXELS 2. SCREEN SHAPE: FLAT 3. VIDEO PROCESSING: 4K X-REALITY PRO 4. TV TUNER: ANALOG & DIGITAL (NSTC/PAL/SECAM AND DVB-T2/DVB-T) 5. BACKLIGHT MODULE: EDGE LED 6. INTERNAL MEMORY: 8GB 7. OPERATING SYSTEM: ANDROID 8. SPEAKERS & AMPLIFIERS: 2X10W (DTS AND DOLBY DIGITAL PLUS) 9. CONNECTIVITY: 3XUSB2.0, 4XHDMI, 1XETHERNET LAN, 1XRS232C, COMPOSITE VIDEO INPUT, RF CONNECTION INPUT, DIGITAL AUDIO OUTPUT, HEADPHONE OUTPUT, SUBWOOPER OUTPUT, WI-FI DIRECT 10. NETWORKING: WI-FI ETHERNET LAN 11. IMAGE FILE FORMAT: JPEG, GIF, PNG, BMP, MPO 12. AUDIO FILE FORMAT: FLAC, M4A, MIDI, MP3, OGG, WMA, AIFF, ALAC, WAV 13. VIDEO FILE FORMATS/CODEC: MPEG1, MPEG2, MPEG4, WEBM, 3GPP, VP8, MP4, AVI, DIVX, MKV, MOV, WMV 14. OTHER FEATURES: 4K HIGH DYNAMIC RANGE (HDR), ANDROID TV, VOICE SEARCH 15. WARRANTY: AT LEAST TWO (2) YEARS <p>NOTE: SUPPLIER TO PRESENT BROCHURE OF BRAND/MODEL OFFER</p> <p>BRAND/MODEL: _____ WARRANTY: _____</p>	<p>1 UNIT</p>	<p>₱100,000.00</p>	

<p>3.</p>	<p>CISIT-19-96422/1 LCD OR DLP MULTIMEDIA PROJECTOR DISPLAY TECHNOLOGY: DLP OR LCD NATIVE RESOLUTION: XGA 1024 X 768 (TOTAL 768,432 PIXELS) UP TO 1600 X 1200 UXGA BRIGHTNESS: AT LEAST 2700 ANSI LUMENS RATED LAMP HOURS: 3000 HOURS STANDARD MODE 6000 HOURS ECO MODE PROJECTION DISTANCE: AT LEAST 4.3 FT. TO 31 FT. IMAGE SIZE: 30 IN TO 300 IN (MINIMUM) THROW RATIO: 1.5: 1.8:1 ADDITIONAL FEATURES: ZOOM LENS (MANUAL OR DIGITAL): KEYSTONE ADJUSTMENT ANALOG VIDEO FORMAT: NTSC, PAL-N-M, SECAM, NTSC 4.43 ANALOG VIDEO SIGNALS: RGB, S-VIDEO, COMPOSITE INTERFACES: AT LEAST 2X VGA INPUT - 15 PIN HD DD-SUB (HD-15); 1X AUDIO LINE-IN-MINIPHONE STEREO; 1XS-VIDEO INPUT, 4 PIN MINI-DIN; 1X COMPOSITE VIDEO INPUT - RCA;1XHDMI INPUT 1X VGA OUTPUT - 15 PIN HD D-SUB (HD-15); 1X AUDIO LINE-OUT - MINI-PHONE STEREO 1X SERIAL RS-232; 1XRJ 45 LAN 1X USB TYPE A (USB DISPLAY/MOUSE CONTROL) TERMINAL 1XUSB TYPE B (PC LESS/WIRELESS) OS SUPPORTED: WINDOWS XP, WINDOWS 7, WINDOWS 8.1 CONTROLS: PROJECTOR KEYPAD, IR REMOTE SPEAKER: AT LEAST 2-WATT BUILT-IN SPEAKER POWER REQUIREMENT: 110-220 V POWER SUPPLY; POWER CABLE INCLUDED MAXIMUM WEIGHT: 2.3 KG ACCESSORIES: USER GUIDE, REMOTE CONTROL UNIT WITH PAGE UP/PAGE DOWN, LASER POINTER AND BATTERIES, RGB CABLE, POWER SUPPLY CABLE, VIDEO CABLE, AUDIO CABLE, RS-232, USB ADAPTER PS2 ADAPTER FOR RS-232C CABLE, MOUSE CURSOR CONTROL REMOTE UNIT; SOFT CARRY CASE, LENS CAP BIDDER/SUPPLIER REQUIREMENT: BIDDER/SUPPLIER SHOULD BE AN AUTHORIZED BUSINESS PARTNER AND AN AUTHORIZED SERVICE PROVIDER BRAND EQUIPMENT MUST HAVE SERVICE PRESENCE ON A NATIONWIDE BASIS WARRANTY: TWO (2) YEARS WARRANTY (FREE PARTS, LABOR AND IMMEDIATE REPLACEMENT UNIT WITH THE SAME SPECIFICATION). SIX (6) MONTHS WARRANTY ON LAMP. BRAND/MODEL: _____ WARRANTY: _____</p>	<p>1 UNIT</p>	<p>₱32,000.00</p>		
<p>4.</p>	<p>CMD-19-96435/1 DIGITAL VOICE RECORDER -RECORD IN MP3/LPCM WITH A HIGH SENSITIVITY -MICROPHONE -UP TO 4 GB OF BUILT-IN STORAGE, -EXPANDABLE VIA MICROSD (SDHC/SDXC) CARDS -FOCUS AND WIDE MICROPHONE MODES TO SUIT LECTURES OR MEETINGS -DIRECT USB BUILT IN FOR EASY CONNECTION TO PC -FM RADIO AND RECORDING -1 YEAR WARRANTY -CARRYING POUCH BRAND/MODEL: _____ WARRANTY: _____</p>	<p>1 UNIT</p>	<p>₱11,153.70</p>		

<p>5.</p>	<p>MINSAT-19-96560 CAMERA, DIGITAL IMAGE SENSOR: CMOS SENSOR TOTAT EFFECTIVE PIXELS: APPROX. 24,2 MEGAPIXELS RECORDING MEDIA: INCLUDING AT LEAST 8 GB SD MEMORY CARD / SDHC MEMORY CARD / MULTIMEDIA CARD ZOOM (DIGITAL/OPTICAL): AT LEAST 10X LCD MONITOR: MINIMUM OF 3.0" LCD SIZE WIDE WITH APPROX. 1.04 MILLION DOTS AND TOUCH SCREEN TECHNOLOGY FOCUS METHODS: HYBRID AUTOFOCUS SYSTEM VIEWFINDER TYPE: EYE-LEVEL PENTAMIRROR COVERAGE: VERTICAL / HORIZONTAL APPROX. 95% EYE POINT: APPROX. 19 mm AUTOFOCUS TYPE: TTL SECONDARY IMAGE.REGISTRATION, PHASE DIFFERENCE DETECTION WITH DEDICATED AF SENSOR AF POINTS: 19 POINTS ICROSS-TYPE AF POINT) SHUTTER: MECHANICAL / ELECTRONIC WHITE BALANCE: AUTO, PRESET (DAYLIGHT, SHADE, CLOUDY, TUNGSTEN LIGHT, WHITE FLUORESCENT LIGHT, FLASH), CUSTOM AUTOMATIC IMAGE BRIGHTNESS CORRECTION: AUTO LIGHTING OPTIMIZER INTERFACE: USB PORT, AUDIO/VIDEO OUTPUT (VIDEO: NTSC OR PAL), HDMI MINI TYPE C TERMINAL (AUTOSWITCHING OF RESOLUTION) NETWORK: WIRELESS LAN IEEE 802.11 b/g/n WITH SECURITY AUTHENTICATION METHOD AND NFC CONNECTION FLASH MODE: AUTO, ON, OFF BUILT-IN FLASH: RETRACTABLE, AUTO POP-UP FLASH INTERNAL MEMORY: APPROX. 15 MB FILE FORMAT SUPPORTED: JPEG. MPEG BATTERY SYSTEM: LITHIUM ION BATTERY BUNDLED SOFTWARE: CD ROM (SOFTWARE), DRTVERS AND UTILITIES APPROPRIATE PHOTO EDITING SOFTWARE COMPATIBLE WITH WIDOWS XP, WINDOWS 7, WINDOWS 8.1 ACCESSORIES: USB CABLE, LITHIUM ION BATTERY AND CHARGER, AUDIO / VIDEO CABLE, STRAP AND CARRYING CASE BIDDER/SUPPLIER REQUIREMENT: Bidder/Supplier should be an authorized business partner and an authorized service provider Brand equipment must have service presence on a nationwide basis WARRANTY: One (1)year warranty (free parts, labor and immediate replacement unit with the same specification).</p> <p>BRAND/MODEL: _____ WARRANTY: _____</p>	<p>1 UNIT</p>	<p>₱40,000.00</p>		
------------------	--	----------------------	--------------------------	--	--

TOTAL AMOUNT (VAT EXCLUSIVE) _____
ADD: APPLICABLE VAT (___%) _____
TOTAL NET AMOUNT (VAT INCLUSIVE) _____

NOTE : ALTERNATE OFFERS ARE NOT ALLOWED
Bids received in excess of the Approved Budget for the Contract (ABC) shall be automatically rejected.

SPECIAL INSTRUCTION : Interested suppliers must view/download the attached document in the Associated Component to be included in the Document Request List (DRL).

FIXED TERMS (PLEASE INCLUDE IN YOUR OFFER):

- BID PRICE VALIDITY: AT LEAST 60 DAYS FROM QUOTE CLOSING DATE
(VAT EXCLUSIVE, INDICATE APPLICABLE VAT)
- DELIVERY PERIOD: () 7 CALENDAR DAYS () _____
- DELIVERY POINT: TRANSCO-HO WAREHOUSE, DILIMAN, Q.C.
C/O K. L. MASANQUE
- PAYMENT TERMS: WITHIN 30 CALENDAR DAYS UPON DELIVERY AND
SUBMISSION OF COMPLETE REQUIRED DOCUMENTS
- WARRANTY: _____

OTHER REQUIREMENTS/DOCUMENTS TO BE INCLUDED IN THE PROPOSAL:

1. **Product brochures/catalog/technical reference.**
2. Please indicate **BRAND/MODEL & WARRANTY** for each offer.

ELIGIBILITY REQUIREMENTS/DOCUMENTS TO BE SUBMITTED BY THE AWARDEE PRIOR TO ISSUANCE OF NOTICE OF AWARD:

1. **PhilGEPS Registration Number/Certificate of PhilGEPS Registration**
2. **DTI/SEC Registration Certificate**
3. **2019 Mayor’s Permit/Business Permit**
4. **BIR Certificate of Registration**
5. **Latest Income/Business Tax Return (2018 Annual ITR)**
6. **Notarized Omnibus Sworn Statement**
7. Receipts must be BIR compliant (please see below).

Please issue an **Invoice/Receipt** to:

Name: National Transmission Corporation (TransCo)

Address: Power Center Agham Road Corner
Quezon Ave., Diliman Quezon City

TIN: 223-242-186-000

If transaction is subject to VAT, kindly show as separate item the VAT amount (12%) in the:

OFFICIAL RECEIPT - for sale of SERVICES
SALES INVOICE - for sale of GOODS or PROPERTIES

TRANSCO TERMS ACCEPTED: _____

(SIGNATURE AND DATE)

(NAME AND DESIGNATION)

(NAME OF COMPANY)