



SUPPLIER'S TECHNICAL/PRICE QUOTATION FORM
(NEGOTIATED PROCUREMENT: SMALL VALUE)

REFERENCE NO.: NP201124-EA64

FOR INQUIRIES, CONTACT PURCHASING OFFICER: **ARGAÑOZA, EILEEN**

Sir/Madam:

Please provide us with your best quotation and submit the same to the above assigned purchasing officer on or before 3:00 PM on quote closing date at PROCUREMENT MANAGEMENT DIVISION OFFICE, Ground Floor, TRANSCO Main Building, Power Center, Quezon Avenue corner BIR Road, Diliman, Quezon City.

QUOTE CLOSING DATE/TIME: NOVEMBER 30, 2020/10:00AM

Deadline for submission may be extended if there are insufficient offers received. In case of a failed canvass, a re-canvass may be conducted without prior notice to any previous offeror (s).

Offers may be submitted in a sealed envelope, through fax or **through e-mail (ecarganoza@transco.ph)** at the option of the offeror, properly marked with the reference number. This bid document comprises SIX (6) pages including this sheet.

Please signify your acceptance of the TERMS AND CONDITION as stated herein, by signing on the space provided below and submit the signed copy together with your separate letter of quotation (as applicable).

Very truly yours,

ROGELIO M. MABULAY, JR.
 Manager, Procurement Management Division

NO.	DESCRIPTION	QUANTITY	ABC (VAT INC)	UNIT PRICE	TOTAL PRICE
				(VAT EXCLUSIVE, INDICATE APPLICABLE 12% VAT)	
1.	ADMIN-20-96694/1 BATTERY PACK, FOR DSLR CAMERA LITHIUM-ION VOLTAGE: 7.2V CAPACITY: 1040MAH COMPATIBLE WITH CANON DSLR EOS 200D BRAND/MODEL: _____ WARRANTY: _____	1 PC	₱7,725.00		
2.	ADMIN-20-96694/2 BATTERY, FOR FLASHLIGHT LITHIUM-ION RECHARGEABLE BATTERY TYPE: NL188 CAPACITY: 3200MAH VOLTAGE: 3.7V COMPATIBLE WITH NITECORE FLASHLIGHT MH12 BRAND/MODEL: _____ WARRANTY: _____	2 PCS	₱2,000.00		
3.	HRAD-20-96703/1 FLASH, CAMERA COMPATIBLE CAMERAS: CANON EOS CAMERAS (E-TTL II AUTO FLASH) & GUIDE NUMBER (1/1 POWER @ 200MM): 60 (M ISO 100) / 190 (FEET ISO 100) & FLASH COVERAGE: 20 TO 200MM (14MM WITH WIDE PANEL) & AUTO ZOOM (FLASH COVERAGE SET AUTOMATICALLY TO MATCH THE LENS FOCAL	1 UNIT	₱25,000.00		

	<p>LENGTH AND IMAGE SIZE) AND MANUAL ZOOM ¿ SWINGING/ TILTING FLASH HEAD (BOUNCE FLASH); 0 TO 360° HORIZONTALLY AND -7° TO 90° VERTICALLY ¿ FLASH DURATION: 1/300 TO 1/20000 SECOND ¿ FLASH CONTROL SYSTEM: E-TTLII AUTOFLASH AND MANUAL FLASH ¿ WIRELESS FLASH FUNCTION: MASTER, SLAVE, OFF ¿ CONTROLLABLE SLAVE GROUPS: 3 (A, B, AND C) ¿ TRANSMISSION RANGE (APPROX.): INDOORS: 12 TO 15M / 39.4 TO 49.2 FT; OUTDOORS: 8 TO 10M / 26.2 TO 32.8 FT ¿ CHANNELS: OPTICAL: 4 (1, 2, 3 AND 4); 2.4G: 32 (1-32) ¿ SLAVE-READY INDICATOR: TWO RED INDICATORS BLINK ¿ MODELING FLASH: FIRED WITH CAMERA¿S DEPTH-OF-FIELD PREVIEW BUTTON ¿ COLOR TEMPERATURE: 5600±200K ¿ SIZE: 64 X 76 X 190 MM BRAND/MODEL: _____ WARRANTY: _____</p>			
<p>4.</p>	<p>PSDD-20-96739/1 WIRELESS PRESENTER (POINTER) WIRELESS RANGE: 100 FT. (30 METERS) EFFECTIVE RANGE DISPLAY: LCD DISPLAY WITH TIMER CONNECTIVITY: USB + BLUETOOTH SOFTWARE: POWERPOINT, KEYNOTE, PDF, GOOGLE SLIDES LASER: GREEN OR RED POWER: 1 AAA BATTERY OTHER FEATURES: BUILT-IN SLIDESHOW BUTTONS STORABLE PLUG AND PLAY RECEIVER ON/OFF SWITCH CARRYING CASE BRAND/MODEL: _____ WARRANTY: _____</p>	<p>1 PC</p>	<p>₱5,150.00</p>	
<p>5.</p>	<p>POWER SUPPLY, UNINTERRUPTIBLE POWER RATING (VA/W): 625 VA / 325 WATTS NOMINAL OUTPUT VOLTAGE (ON UTILITY): 230V NOMINAL OUTPUT VOLTAGE (ON BATTERY): 220V +/- 8%, 50 OR 60HZ +/- 1HZ (AUTO-SENSING) OUTPUT CONNECTIONS: 3 "ASIA UNIVERSAL" OUTLETS (ALL WITH BATTERY BACKUP AND SURGE PROTECTION) NOMINAL INPUT VOLTAGE: 230V / 45-65HZ (AUTOMATIC VOLTAGE REGULATION) INPUT CONNECTION: 1 X 1.2M POWER CABLE WITH NEMA 5-15P PLUG AC POWER SURGE PROTECTION: ALL OUTLETS BATTERY TYPE: MAINTENANCE-FREE, SEALED LEAD-ACID BATTERY, LEAK PROOF BATTERY SIZE: 12 VOLT, 7.0 AH CONTROL PANEL: LED STATUS DISPLAY WITH ON LINE, ON BATTERY, REPLACE BATTERY AND OVERLOAD INDICATED AUDIBLE ALARM: ALARM WHEN ON BATTERY; DISTINCTIVE LOW BATTERY ALARM; OVERLOAD CONTINUOUS TONE ALARM</p>	<p>40 UNITS*</p>	<p>₱205,250.00</p>	

	<p>BIDDER/SUPPLIER REQUIREMENT: BIDDER/SUPPLIER SHOULD BE AN AUTHORIZED BUSINESS PARTNER AND AN AUTHORIZED SERVICE PROVIDER BRAND EQUIPMENT MUST HAVE SERVICE PRESENCE ON A NATIONWIDE BASIS</p> <p>WARRANTY: TWO (2) YEARS (FREE PARTS, LABOR AND IMMEDIATE REPLACEMENT UNIT WITH THE SAME SPECIFICATION); WITH FREE ONISTE TECHNICAL SUPPORT</p> <p>BRAND/MODEL: _____ WARRANTY: _____</p> <p>*DISTRIBUTION OVP-TM-20-96761/1 (1 UNIT) STMD-20-96769/1 (5 UNITS) LITVIS-20-96775/1 (5 UNITS) ARM-D-20-96781/1 (8 UNITS) ROWVIS-20-96787/1 (4 UNITS) MINSAT-20-96884/1 (2 UNITS) GAD-20-96892/1 (6 UNITS) ROWAD-20-96968/1 (5 UNITS) PMD-20-97074/1 (4 UNITS)</p>				
<p>6.</p>	<p>ROWVIS-20-96785/1 PRINTER, LARGE FORMAT PLOTTER -PRINT- LINE DRAWINGS: 35 SEC/PAGE ON A1/D, 70 A1/D PRINTS PER HOUR. COLOR IMAGES: FAST:25.6 M2/HR/ (275 FT2/HR) ON COATED MEDIA BEST:2.3M2/HR (25FT2/HR) ON GLOSSY MEDIA. PRINT RESOLUTION: UP TO 2400X1200 OPTIMIZED DPI FROM 1200X1200 INPUT DPI AND OPTIMIZATION FOR PHOTO PAPER SELECTED. MARGINS: ROLL: 5X5X5X5 MM (0.2X0.2X0.2X0.2 IN) SHEET: 5X17X5X5 MM (0.2X0.67X0.2X0.2) TECHNOLOGY: HP THERMAL INKJET INK TYPES: DYE BASED (C,M,Y); PIGMENT BASED (K) INK DROP: 5.5 PL (C,M,Y); 12 PL (K) PRINTHEADS: 1 (C,M,Y,K) LINE ACCURACY: +/-0.1% MINIMUM LINE WIDTH: 0.02 MM(0.0008 IN) (HP-GL/2 ADDRESSABLE) GUARANTEED MINIMUM : 0.07 MM(0.0028 IN) (ISO/IEC 13660.2201(F)) LINE WIDTH</p> <p>-MEDIA- HANDLING: SHEET FEED, ROLL FEED, INPUT RAY, AUTOMATIC CUTTER WEIGHT: 60 TO 280 G/M2(ROLL/MANUAL FEED); 60 TO 220G/M2 (INPUT TRAY) SIZE: 24-IN PRINTER. 210 TO 610-MM(8.3 TO 24 IN) WIDE SHEETS; 279 TO 610-MM(11 TO 24-IN) ROLLS; 36-IN PRINTER. 210 TO 914-MM(8.3 TO 36IN) WIDE SHEETS;</p>	<p>1 UNIT</p>	<p>₱85,000.00</p>		

279 TO 914-MM(11 TO 36-IN) ROLLS;
THICKNESS: UP TO 11.8 MIL

-MEMORY-
1GB

-CONNECTIVITY-
INTERFACES: FAST ETHERNET (100BASE-T). HI-
SPEED USB 2.0 CERTIFIED, WIFI
(STANDARD)
PRINT LANGUAGES: HP-GL/2' HP-RTL, HP PCL 3
GUI, JPEG, CALS G4
(STANDARD)
DRIVERS: HP-GL2, HP RTL DRIVERS FOR WINDOWS
(OPTIMIZED FOR AUTOCAD 2000
AND HIGHER), HP PCL 3 GUI DRIVER FOR
MAC OS X

-DIMENSIONS-(WXDXH)
PRINTER: 24-IN PRINTER:
987X530X932MM(38.9X20.9X36.7 IN)
36-IN PRINTER:
1292X530X932MM(50.9X20.9X36.7 IN)
SHIPPING:24-IN PRINTER:
1123X577X626MM(44.2X22.7X24.6 IN)
36-IN PRINTER:
1423X577X626MM(56X22.7X24.6 IN)

-WEIGHT-
PRINTER: 24-IN PRINTER: 34KG(75LB)
36-IN PRINTER: 39.2KG(86.4LB)
SHIPPING:24-IN PRINTER: 50KG(110.2LB)
36-IN PRINTER: 60KG(136.7LB)

-WHAT'S IN THE BOX-
EPRINTER, PRINthead, INK CARTRIDGES, PRINTER
STAND, QUICK REFERENCE GUIDE, SETUP POSTER,
STARTUP SOFTWARE, POWERCORD

-ENVIRONMENTAL RANGES-
OPERATING TEMPERATURE: 5 TO 40C(41 TO 104F)
STORAGE TEMPERATURE: 25 TO 55C(-13 TO 131F)
OPERATING HUMIDITY: 20 TO 80% RH

-ACOUSTIC-
SOUND PRESSURE: 48 DB(A)(ACTIVE);<16
DB(A)(STANDBY)
SOUND POWER: 6.5
B(A)(ACTIVE);<3.4B(A)(STANDBY)

-POWER CONSUMPTION-
<25 WATTS(PRINTING),<4.5
WATTS(POWERSAVE),<0.3 WATTS(STANDBY)
INPUT VOLTAGE (AUTO RANGING) 100 TO 240 VAC
(+/- 10%),50/60 H(+/- 3HZ), 1200 MA MAX.

-CERTIFICATION-
SAFETY: USA AND CANADA(CSA CERTIFIED), EU
(LVD AND EN 60950-1 COMPLAINT),
RUSSIA (GOST), SINGAPORE(PSB),
CHINA(CCC), MEXICO(NYCE)

	<p>ELECTROMAGNETIC: COMPLAINT WITH CLASS B REQUIREMENTS, INCLUDING USA(FCC RULES), CANADA(ICES),EU(EMC/R&TTE DIRECTIVES), AUSTRALIA (ACMA), NEW ZEALAND(RSM), CHINA(CCC), JAPAN(VCCI), CERTIFIED AS CLASS A PRODUCT: KOREA(KCC) ENVIRONMENTAL: ENERGY STAR, WEEE, EU, ROHS, REACH, EUP, FEMP -WARRANTY- ONE-YEAR LIMITED HARDWARE WARRANTY</p> <p>BRAND/MODEL: _____ WARRANTY: _____</p>				
7.	<p>RECORDER, DIGITAL VOICE -RECORD IN MP3/LPCM WITH A HIGH SENSITIVITY -MICROPHONE -UP TO 4 GB OF BUILT-IN STORAGE, -EXPANDABLE VIA MICROSD (SDHC/SDXC) CARDS -FOCUS AND WIDE MICROPHONE MODES TO SUIT LECTURES OR MEETINGS -DIRECT USB BUILT IN FOR EASY CONNECTION TO PC -FM RADIO AND RECORDING -1 YEAR WARRANTY -CARRYING POUCH BRAND/MODEL: _____ WARRANTY: _____</p> <p>*DISTRIBUTION RCMD-20-96876/1 (3 UNITS) FIT-20-96877/1 (2 UNITS)</p>	5 UNIT*	₱57,440.00		
8.	<p>ARMD-20-96897/1 RECORDER, DIGITAL VOICE BUILT-IN MEMORY: 4GB PC CONNECTIVITY: YES BUILT-IN MICROPHONE: STEREO RECORDING FORMAT: MP3 PLAYBACK FORMAT: MP3 BATTERY TYPE: AAAX2 (INCLUDED) LCD BACKLIGHT: YES STEREO HEADPHONES (INCLUDED) CARRYING POUCH (INCLUDED) BRAND/MODEL: _____ WARRANTY: _____</p>	1 UNIT	₱11,488.31		
9.	<p>CISIT-20-96931/1 OPTICAL MOUSE FOR DESKTOP/LAPTOP COMPUTERS CONNECTIVITY TECHNOLOGY: WIRELESS WITH NANO USB RECEIVER CONNECTION: 2.4 GHZ MOVEMENT DETECTION TECHNOLOGY: OPTICAL MOVEMENT RESOLUTION: 1000-1600-2000 DPI BUTTONS QTY: 5 COMPATIBILITY: WINDOWS XP/VISTA/7/8/8.1/10 POWER SOURCE: 1AA ALKALINE BATTERY WARRANTY: ONE (1) YEAR BRAND/MODEL: _____ WARRANTY: _____</p>	30 PCS	₱18,584.70		

TOTAL AMOUNT (VAT EXCLUSIVE) _____
 ADD: APPLICABLE VAT (___%) _____
 TOTAL NET AMOUNT (VAT INCLUSIVE) _____

NOTE : ALTERNATE OFFERS ARE NOT ALLOWED
 Bids received in excess of the Approved Budget for the Contract (ABC) shall be automatically rejected.

SPECIAL INSTRUCTION : Interested suppliers must view/download the attached document in the Associated Component to be included in the Document Request List (DRL).

FIXED TERMS (PLEASE INCLUDE IN YOUR OFFER):

- BID PRICE VALIDITY: AT LEAST 60 DAYS FROM QUOTE CLOSING DATE
(VAT EXCLUSIVE, INDICATE APPLICABLE VAT)
- DELIVERY PERIOD: () 7 CALENDAR DAYS () _____
- DELIVERY POINT: TRANSCO-HO WAREHOUSE, DILIMAN, Q.C.
 C/O K. L. MASANQUE
- PAYMENT TERMS: WITHIN 30 CALENDAR DAYS UPON DELIVERY AND
 SUBMISSION OF COMPLETE REQUIRED DOCUMENTS
- WARRANTY: _____

OTHER REQUIREMENTS/DOCUMENTS TO BE INCLUDED IN THE PROPOSAL:

1. Product brochures/catalog/technical reference.
2. Please indicate **BRAND/MODEL & WARRANTY** for each offer.

ELIGIBILITY REQUIREMENTS/DOCUMENTS TO BE SUBMITTED BY THE AWARDEE PRIOR TO ISSUANCE OF NOTICE OF AWARD:

1. PhilGEPS Registration Number/Certificate of PhilGEPS Registration (for Platinum)
2. DTI/SEC Registration Certificate
3. 2020 Mayor’s Permit/Business Permit
4. BIR Certificate of Registration
5. Latest Income/Business Tax Return (2019 Annual ITR)
6. Notarized Omnibus Sworn Statement
7. Receipts must be BIR compliant (please see below).



TRANSCO TERMS ACCEPTED: _____
 (SIGNATURE AND DATE)

 (NAME AND DESIGNATION)

 (NAME OF COMPANY)