

	<p>POWER REQUIREMENT: 110-220 V POWER SUPPLY; POWER CABLE INCLUDED MAXIMUM WEIGHT: 2.3 KG ACCESSORIES: USER GUIDE, REMOTE CONTROL UNIT WITH PAGE UP/PAGE DOWN, LASER POINTER AND BATTERIES, RGB CABLE, POWER SUPPLY CABLE, VIDEO CABLE, AUDIO CABLE, RS-232, USB ADAPTER PS2 ADAPTER FOR RS-232C CABLE, MOUSE CURSOR CONTROL REMOTE UNIT; SOFT CARRY CASE, LENS CAP BIDDER/SUPPLIER REQUIREMENT: BIDDER/SUPPLIER SHOULD BE AN AUTHORIZED BUSINESS PARTNER AND AN AUTHORIZED SERVICE PROVIDER BRAND EQUIPMENT MUST HAVE SERVICE PRESENCE ON A NATIONWIDE BASIS WARRANTY: TWO (2) YEARS WARRANTY (FREE PARTS, LABOR AND IMMEDIATE REPLACEMENT UNIT WITH THE SAME SPECIFICATION). SIX (6) MONTHS WARRANTY ON LAMP.</p> <p>BRAND/MODEL: _____ WARRANTY: _____</p> <p>*DISTRIBUTION FSD-20-96723/1 (1 UNIT) RCMD-20-96760/1 (1 UNIT) ARMPMD-20-96899/1 (1 UNIT) PMD-20-97030/1 (1 UNIT)</p>			
2.	<p>OVP-TM-20-96758/1 TELEVISION, LED, 50 INCH 4K SMART, UHD GENERAL SPECIFICATION 1. POWER SUPPLY 220V-240V 2. ALTERNATING CURRENT FREQUENCY:50HZ-60HZ 3. POWER CONSUMPTION (MAX): 195 WATTS 4. SET SIZE WITH STAND (W X H X D): APPROX:1128.9 X 723.7 X 310.5MM 5. SET SIZE WITHOUT STAND (W X H X D): APPROX: 1128.9 X 654.4 X 63.2MM 6. WITH REMOTE CONTROLLER 7. WITH STAND AND WALL MOUNTED BRACKET INCLUDED FEATURES: 1. DISPLAY RESOLUTION:3840 X 2160 PIXEL ULTRA HD 2. SCREEN SHAPE FLAT 3. MOTION INTERPOLATION FREQUENCY: 100HZ 4. TV TUNER: ANALOG AND DIGITAL (AUTO CHANNEL SEARCH, DVB-T2 DIGITALSIGNAL FORMAT SYSTEM) 5. DYNAMIC CONTRAST RATIO MEGA CONTRAST 6. PROCESSOR CORES: 4 7. SPEAKERS: 2 X 10WATTS (DTS, DOLBY DIGITAL PLUS) 8. CONNECTION: 2 X USB PORTS, 3 X HDMI 1 X ETHERNET LAN, AUDIO RETURN CHANNEL, COMPOSITE VIDEO IN DIGITAL AUDIO OPTICAL OUT, RF PORTS QUANTITY 9. IMAGE FORMAT: BMP, JPG, MPO, PNG</p>	1 UNIT	₱80,000.00	

	<p>10.AUDIO FORMATS SUPPORTED: AAC, AIFF, ALAC, FLAC, M4A, MID, MIDI, MP3, MPA, OGG, WAV, WMA</p> <p>11. VIDEO FORMAT SUPPORTED: 3GP, ASF, AVI, DIVX, FLX, H.263, H.264, H.265, MPG, M2TS, MKV, MOV, MP4, MPEG1, MPEG2, MPEG4, MPG, MTS, MVC, RMVB. RV-1, VOB, VP6, VP8, VP9, VRO, WEBM, WMV</p> <p>12. NETWORKING WI-FI, ETHERNET LAN, WI-FI STANDARDS AND DIRECT, WEB BROWSER</p> <p>13.SMART TV</p> <p>WARRANTY: AT LEAST TWO (2) YEARS</p> <p>BRAND/MODEL: _____</p> <p>WARRANTY: _____</p>			
<p>3.</p>	<p>TSD001-20-96759/1</p> <p>TELEVISION, LED, 65 INCH</p> <p>1. POWER SUPPLY: 110V-240V</p> <p>2. AC FREQUENCY: 50/60 HZ</p> <p>3. POWER CONSUMPTION IN OPERATION (MAX): 250WATTS</p> <p>4. SET SIZE WITH STAND (WXHXD): 1461X907X355MM</p> <p>5. SET SIZE WITHOUT STAND (WXHXD): 1461X844X80MM</p> <p>6. WITH REMOTE CONTROLLER</p> <p>7. WITH STAND AND WALL MOUNTED BRACKET</p> <p>8. WITH TV RACK</p> <p>FEATURES:</p> <p>1. DISPLAY RESOLUTION: 3840X2160 PIXELS</p> <p>2. SCREEN SHAPE: FLAT</p> <p>3. VIDEO PROCESSING: 4K X-REALITY PRO</p> <p>4. TV TUNER:ANALOG & DIGITAL (NSTC/PAL/SECAM AND DVB-T2/DVB-T)</p> <p>5. BACKLIGHT MODULE: EDGE LED</p> <p>6. INTERNAL MEMORY: 8GB</p> <p>7. OPERATING SYSTEM: ANDROID</p> <p>8. SPEAKERS & AMPLIFIERS: 2X10W (DTS AND DOLBY DIGITAL PLUS)</p> <p>9. CONNECTIVITY: 3XUSB2.0, 4XHDMI, 1XETHERNET LAN, 1XRS232C, COMPOSITE VIDEO INPUT, RF CONNECTION INPUT, DIGITAL AUDIO OUTPUT, HEADPHONE OUTPUT, SUBWOOPER OUTPUT, WI-FI DIRECT</p> <p>10. NETWORKING: WI-FI ETHERNET LAN</p> <p>11. IMAGE FILE FORMAT: JPEG, GIF, PNG, BMP, MPO</p> <p>12. AUDIO FILE FORMAT: FLAC, M4A, MIDI, MP3,OGG, WMA, AIFF, ALAC, WAV</p> <p>13. VIDEO FILE FORMATS/CODEC: MPEG1, MPEG2, MPEG4, WEBM, 3GPP, VP8, MP4, AVI, DIVX, MKV, MOV, WMV</p> <p>14. OTHER FEATURES: 4K HIGH DYNAMIC RANGE (HDR), ANDROID TV, VOICE SEARCH</p> <p>15. WARRANTY: AT LEAST TWO (2) YEARS</p> <p>NOTE: SUPPLIER TO PRESENT BROCHURE OF BRAND/MODEL OFFER</p> <p>BRAND/MODEL: _____</p> <p>WARRANTY: _____</p>	<p>1 UNIT</p>	<p>₱100,000.00</p>	

<p>4.</p>	<p>TCMD08-20-96904/1 CAMERA (MIRRORLESS) LENS: 18-150MM SENSOR: 24.2MP APS-C CMOS SCREEN: 3.0-INCH TILT-ANGLE TOUCHSCREEN, 1,040,000 DOTS VIDEO RESOLUTION: 1920 X 1080 ISO: 100-25600 BURST SHOOTING: 9.0FPS CONTINUOUS SHOOTING AUTOFOCUS: 49-POINT AF VIDEO: FULL HD 1080P CONNECTIVITY: WI-FI, NFC AND BLUETOOTH BATTERY LIFE: 295 SHOTS FLASH: BUILT-IN WEIGHT: 390G</p> <p>BRAND/MODEL: _____ WARRANTY: _____</p>	<p>1 UNIT</p>	<p>₱50,000.00</p>	
<p>5.</p>	<p>TCMD08-20-96904/2 DIGITAL CAMERA SENSOR TYPE: CMOS TOTAL EFFECTIVE PIXELS: AT LEAST 24 MEGAPIXELS RECORDING MEDIA: SD/SDHC/SDXC MEMORY CARD ZOOM: UP TO 10X OR HIGHER LCD MONITOR: AT LEAST 3.0" LCD TOUCHSCREEN WITH APPROX. 1.03 MILLION PIXELS FOCUS/AUTO FOCUS MODES: MULTIPLE AF MODES (AUTOFOCUS, MANUAL, SINGLE, CONTINUOUS) VIEWFINDER TYPE: EYE-LEVEL PENTAMIRROR OPTICAL OR ELECTRONIC VIEWFINDER COVERAGE: APPROX. 95% AUTOFOCUS TYPE: WITH TTL PHASE DETECTION AUTOFOCUS POINTS: AT LEAST 39 AF POINTS SHUTTER: MECHANICAL OR ELECTRONIC WHITE BALANCE: AUTOMATIC, PRESET (DAYLIGHT, SHADE, CLOUDY, FLUORESCENT), CUSTOM CONNECTIVITY: USB, WI-FI INTERFACE: HI-SPEED, HDMI OUTPUT FLASH MODE: AUTO, ON, OFF FLASH: BUILT-IN FILE / IMAGE FORMAT: JPEG, RAW BATTERY SYSTEM: LITHIUM ION BATTERY BUNDLED SOFTWARE / ADD-ONS: CD ROM (SOFTWARE), DRIVERS AND UTILITIES APPROPRIATE PHOTO EDITING SOFTWARE COMPATIBLE WITH WINDOWS 7, 8, 8.1, 10; MUST INCLUDE AT LEAST 16GB RECORDING MEDIA ACCESSORIES: USB CABLE, LITHIUM ION BATTERY AND CHARGER, AUDIO / VIDEO CABLE, STRAP AND CARRYING CASE BIDDER/SUPPLIER REQUIREMENT: Bidder/Supplier should be an authorized business partner and an authorized service provider Brand equipment must have service presence on a nationwide basis WARRANTY: One (1)year warranty (free parts, labor and immediate replacement unit with the same specification).</p> <p>BRAND/MODEL: _____ WARRANTY: _____</p>	<p>2 UNIT</p>	<p>₱100,000.00</p>	

<p>6.</p>	<p>TCMD08-20-96904/3</p> <p>LENS FOCAL LENGTH & MAXIMUM APERTURE (55-200MM F/4.5-6.3) LENS CONSTRUCTION (17 ELEMENTS IN 11 GROUPS) DIAGONAL ANGLE OF VIEW (27DEG 50'-7DEG 50') FOCUS ADJUSTMENT (AF WITH FULL TIME MANUAL) CLOSEST FOCUSING DISTANCE (3.3 FT/1.0M) FILTER SIZE (2.0 IN/52MM DIAMETER) MAX. DIAMETER X LENGTH, WEIGHT (2.4 X 3.4 IN., APPROX. 9.2 OZ. 60.9 X 86.5MM, APPROX. 260G)</p> <p>BRAND/MODEL: _____ WARRANTY: _____</p>	<p>1 UNIT</p>	<p>₱60,000.00</p>	
<p>7.</p>	<p>TCMD08-20-96904/4</p> <p>CAMERA, VIDEO OPTICAL ZOOM (20X) DIGITAL ZOOM (400X) RECORDING DEFINITION (HIGH DEFINITION) STORAGE TYPE (REMOVABLE - CARD/DISC/TAPE) MEDIA FORMAT (SDXC/SDHC/SD) RECORDING SYSTEM (NTSC) HD VIDEO SUPPORT (1080P) RESOLUTION (3.1 MP) EFFECTIVE VIDEO RESOLUTION (2.9 MP) HDMI OUTPUT</p> <p>BRAND/MODEL: _____ WARRANTY: _____</p>	<p>2 UNIT</p>	<p>₱170,000.00</p>	
<p>8.</p>	<p>ARMD-20-96921/1</p> <p>DIGITAL MIRRORLESS CAMERA KIT KIT INCLUDES THE FOLLOWING LENS: 1. 1 X 18-150MM (PLEASE SEE ATTACHED CAMERA SPECIFICATION) W/ THE FOLLOWING ADD'L ACCESSORIES: 2. LENS MOUNT ADAPTER (TO BE USED W/ EXISTING EF/EFS LENS) 3. 4 X AAA RECHARGEABLE BATTERIES AND "FAST" BATTERY CHARGER (TO REPLACE DEFECTIVE BATTERIES) 4. SPARE CAMERA BATTERY (COMPATIBLE WITH THE CAMERA) 5. STORAGE: AT LEAST 32GB SDHC CLASS 10 6. CAMERA BAG (MUST FIT ALL THE ACCESSORIES)</p> <p>TECHNICAL SPECIFICATION: AF Modes: One-shot AF, Servo AF AF Point Selection: Automatic selection, Manual selection AF System Points: 143 / 99 AF Points** Up to 143 AF points may be displayed when a compatible lens is attached. Built-in Flash: YES Closest Focusing Distance (cm): 25 / 100 Continuous Shooting Speed (shots per sec) (Up to): 10 (One-Shot AF) / 7.4 (Servo AF) Digital Zoom:</p>	<p>1 UNIT</p>	<p>₱135,000.00</p>	

-

Dimensions (Excl Protrusions) (mm) (Approx.):

116.3 x 88.1 x 58.7

Drive System:

Stepping Motor-driven lead screw+rack system / Stepping Motor-driven lead screw+rack system

Effective ISO:

100 – 25600 (H:51200)

Effective Pixels (megapixels):

24.1 (at least)

Exposure Compensation:

Manual: ±3 stops in 1/3-stop increments, AEB: ±2 stops in 1/3- stop increments

Eye detection AF:

Available: One-shot AF

Flash Modes:

E-TTL II Autoflash, FE Lock, Manual pop-up, Retractable, Built-in

Focal Length (35mm Equivalent):

24 – 72mm(3x) / 88 – 320mm(3.6x)

Guide Number ISO 100 metres:

5

Image Resolution:

6000 x 4000 (L) 3984 x 2656 (M) 2976 x 1984 (S1) 2400 x 1600 (S2) 6000 x 4000 (RAW)

Image Stabilizer:

Lens-shift type / Lens-shift type

LCD Monitor (Size) (Inch):

3.0

LCD Monitor Resolutions (dots):

1040000

Manual Focus:

YES

Memory Card Type:

SD, SDHC*, SDXC*, *UHS-I cards compatible

Metering Mode:

384-zone TTL Evaluative, Partial, Spot, Centre-weighted average

Movie Format:

MP4

Optical Zoom:

3x / 3.6x

Optional Power:

AC Power (Compact Power Adapter CA-PS700 and DC Coupler DR-E12)

Peripheral Connections:

Micro USB, HDMI (Type D), Mic-in

Processor Type:

DIGIC 8

Sensor Size:

APS-C

Shooting Modes:

Program AE, Shutter-priority AE, Aperture-priority AE, Manual Exposure

Shutter Speed Range (Sec.):

30 – 1/4000, Bulb

Silent Shutter:

Available: Single Shot

Standard Power Supply:

Battery Pack LP-E12

Still Image Format:

JPEG, RAW, RAW + JPEG, C-RAW, C-RAW+JPEG

Viewfinder Coverage (Approx.):

100

Viewfinder Type: OLED Weight (g) (Including the battery and memory card) (Approx.): Approximately 387g White Balance: Auto (Ambience priority), Auto (White priority), Preset (Daylight, Shade, Cloudy, Tungsten light, White fluorescent light, Flash), Custom, Color temperature setting (approx. 2500-10000K), White balance correction and white balance bracketing features provided * Flash color temperature information transmission possible X-sync: 1/200 BRAND/MODEL: _____ WARRANTY: _____				
--	--	--	--	--

TOTAL AMOUNT (VAT EXCLUSIVE) _____
 ADD: APPLICABLE VAT (___%) _____
 TOTAL NET AMOUNT (VAT INCLUSIVE) _____

NOTE : ALTERNATE OFFERS ARE NOT ALLOWED
 Bids received in excess of the Approved Budget for the Contract (ABC) shall be automatically rejected.

SPECIAL INSTRUCTION : Interested suppliers must view/download the attached document in the Associated Component to be included in the Document Request List (DRL).

FIXED TERMS (PLEASE INCLUDE IN YOUR OFFER):

- BID PRICE VALIDITY: AT LEAST 60 DAYS FROM QUOTE CLOSING DATE
(VAT EXCLUSIVE, INDICATE APPLICABLE VAT)
- DELIVERY PERIOD: () 7 CALENDAR DAYS () _____
- DELIVERY POINT: TRANSCO-HO WAREHOUSE, DILIMAN, Q.C.
 C/O K. L. MASANQUE
- PAYMENT TERMS: WITHIN 30 CALENDAR DAYS UPON DELIVERY AND
 SUBMISSION OF COMPLETE REQUIRED DOCUMENTS
- WARRANTY: _____

OTHER REQUIREMENTS/DOCUMENTS TO BE INCLUDED IN THE PROPOSAL:

1. Product brochures/catalog/technical reference.
2. Please indicate **BRAND/MODEL & WARRANTY** for each offer.

ELIGIBILITY REQUIREMENTS/DOCUMENTS TO BE SUBMITTED BY THE AWARDEE PRIOR TO ISSUANCE OF NOTICE OF AWARD:

1. PhilGEPS Registration Number/Certificate of PhilGEPS Registration (for Platinum)
2. DTI/SEC Registration Certificate
3. 2020 Mayor’s Permit/Business Permit
4. BIR Certificate of Registration
5. Latest Income/Business Tax Return (2019 Annual ITR)
6. Notarized Omnibus Sworn Statement
7. Receipts must be BIR compliant (please see below).



TRANSCO TERMS ACCEPTED:

 (SIGNATURE AND DATE)

 (NAME AND DESIGNATION)

 (NAME OF COMPANY)